17th ICML International Conference on Malignant Lugano June 13–17 2023
--

Book nr	Presentation	Title	Sessions /	Presenter
	/ publication		Topic	
ORAL PR	ESENTATIONS	•		•
Keynote	lectures			
1	Invited	Lessons Learned from the Genetic Heterogeneity of Lymphoid Malignancies	H. Kaplan	M. Shipp
	presentation		Lecture	
2	Invited	Elucidating the enigmatic pathobiology of Hodgkin lymphoma	G.	R. Küppers
	presentation		Bonadonna	
			Lecture	
3	Invited	25 years of antibody treatments for lymphoma	J. Ultmann	P. W. M. Johnson
	presentation		Lecture	
Plenary S	Session			
4	Proffered	Frontline intensified ABVD demonstrates superior efficacy than PET-adapted ABVD in advanced	Plenary	A. Pinto
	presentation	Hodgkin Lymphoma: the FIL-Rouge Phase 3 Trial by the Fondazione Italiana Linfomi	session	
5	Proffered	Nivolumab(N)-AVD Improves Progression-Free Survival Compared to Brentuximab Vedotin(BV)-AVD in	Plenary	A. F. Herrera
	presentation	Advanced Stage (AS) Classic Hodgkin Lymphoma (HL): Results of SWOG S1826	session	

			-	
6	Proffered	Fourth generation huCART19-IL18 produces durable responses in lymphoma patients previously	Plenary	J. Svoboda
	presentation	relapsed/refractory to anti-CD19 CAR T-cell therapy	session	
AACR	- ICML Joint sess	ion		
7	Invited	Single cell omics in the study of B cell lymphoma	AACR-ICML	K. Basso
	presentation		Joint session	
8	Invited	Circulating tumor DNA (liquid biopsy)	AACR-ICML	D. Rossi
	presentation		Joint session	
9	Invited	Al-based trial design	AACR-ICML	O. Elemento
	presentation		Joint session	
Sessio	n 1 - Dissecting	ymphomas at the single cell level	•	
10	Invited	The tumor microenvironment of Hodgkin lymphoma at single cell resolution	Session 1	C. Steidl
	presentation			
11	Invited	Trajectories of lymphomagenesis	Session 1	B. Nadel
	presentation			
12	Invited	Subclonal heterogeneity driving progression and transformation in chronic lymphocytic leukemia	Session 1	E. Campo
	presentation			
13	Proffered	Diversity of intratumoral regulatory T cells in B-cell non-Hodgkin lymphoma	Session 1	I. Spasevska
	presentation			
Sessio	n 2 - Lymphoma	s affecting the CNS		
14	Proffered	Identification of Genomic Biomarkers of Disease Progression and Survival in Newly-Diagnosed Primary	Session 2	J. Rubenstein
	presentation	CNS Lymphoma		

Proffered	Consolidative HCT-ASCT is superior to non-myeloablative chemo-immunotherapy in newly-diagnosed	Session 2	G. Illerhaus
nresentation			
•		Session 2	S. Choquet
		56331011 Z	5. Onoquet
•		0 . 0	
Proffered	Phase 2 study of ibrutinib with temozolomide, etoposide, liposomal doxorubicin, dexamethasone,	Session 2	M. Roschewski
presentation	rituximab (TEDDi-R) for secondary CNS lymphoma		
Proffered	Five-year results of a phase 2 study of CNS-oriented therapy with R-CHOP for untreated intravascular	Session 2	K. Shimada
presentation	large B-cell lymphoma: Final analysis of the PRIMEUR-IVL study		
3 - Treatment o	of aggressive lymphomas		
Proffered	A randomized trial of observation versus radiotherapy in primary mediastinal B-cell lymphoma	Session 3	A. J Davies
presentation	patients with complete metabolic response after standard immunochemotherapy.		
Proffered	R-CODOX-M/R-IVAC versus DA-EPOCH-R in Patients with newly diagnosed high-risk Burkitt	Session 3	M. Chamuleau
presentation	lymphoma: FINal results of a multi-center randomized HOVON/SAKK trial.		
Proffered	Biomarker-driven treatment strategy in high-risk large B-cell lymphoma (NLG-LBC-06 phase II trial):	Session 3	S. Leppa
presentation	Impact of ctDNA and TP53 aberrations on clinical outcome		
Proffered	Primary overall survival analysis of the phase 3 randomized ZUMA-7 study of axicabtagene ciloleucel	Session 3	J. R. Westin
presentation	versus standard of care in relapsed/refractory large B-cell lymphoma		
4 - CLL and Ric	hter syndrome		
Proffered	FoxO1-Rictor axis induces Akt phosphorylation during CLL cell adaptation to BCR inhibitors:	Session 4	L. Ondrisova
presentation	implications for combinatorial therapy		
	Proffered presentation <b>3 - Treatment o</b> <b>7 Treatment o</b> Proffered presentation Proffered presentation Proffered presentation <b>4 - CLL and Ric</b> Proffered	presentation PCNSL - Updated results of the randomized phase III MATRix/IELSG43 trial   Proffered CAR-T cells radically modify the management of relapsed/refractory primary cerebral lymphomas. Real   presentation life results of the French LOC network   Proffered Phase 2 study of ibrutinib with temozolomide, etoposide, liposomal doxorubicin, dexamethasone,   presentation rituximab (TEDDi-R) for secondary CNS lymphoma   Proffered Five-year results of a phase 2 study of CNS-oriented therapy with R-CHOP for untreated intravascular   presentation large B-cell lymphoma: Final analysis of the PRIMEUR-IVL study   3 - Treatment of aggressive lymphomas Final analysis of the PRIMEUR-IVL study   3 - Treatment of aggressive lymphomas Proffered   Proffered A randomized trial of observation versus radiotherapy in primary mediastinal B-cell lymphoma   presentation patients with complete metabolic response after standard immunochemotherapy.   Proffered R-CODOX-M/R-IVAC versus DA-EPOCH-R in Patients with newly diagnosed high-risk Burkitt   presentation lymphoma: FiNal results of a multi-center randomized HOVON/SAKK trial.   Proffered Biomarker-driven treatment strategy in high-risk large B-cell lymphoma (NLG-LBC-06 phase II trial):   presentation Impact of ctDNA and TP53 aberrations on clinical outcome   P	presentationPCNSL - Updated results of the randomized phase III MATRix/IELSG43 trialProfferedCAR-T cells radically modify the management of relapsed/refractory primary cerebral lymphomas. RealSession 2presentationlife results of the French LOC networkSession 2ProfferedPhase 2 study of ibrutinib with temozolomide, etoposide, liposomal doxorubicin, dexamethasone, rituximab (TEDDi-R) for secondary CNS lymphomaSession 2Presentationrituximab (TEDDi-R) for secondary CNS lymphomaSession 2Presentationlarge B-cell lymphoma: Final analysis of the PRIMEUR-IVL studySession 23 - Treatment of aggressive lymphomasFinal analysis of the PRIMEUR-IVL studySession 3ProfferedA randomized trial of observation versus radiotherapy in primary mediastinal B-cell lymphomaSession 3presentationpatients with complete metabolic response after standard immunochemotherapy.Session 3ProfferedR-CODOX-M/R-IVAC versus DA-EPOCH-R in Patients with newly diagnosed high-risk BurkittSession 3presentationlymphoma: FINal results of a multi-center randomized HOVON/SAKK trial.Session 3ProfferedBiomarker-driven treatment strategy in high-risk large B-cell lymphomaSession 3presentationImpact of ctDNA and TP53 aberrations on clinical outcomeSession 3ProfferedPrimary overall survival analysis of the phase 3 randomized ZUMA-7 study of axicabtagene ciloleucel versus standard of care in relapsed/refractory large B-cell lymphomaSession 3ProfferedPrimary overall survival analysis of the phase 3 randomized ZUMA-7 study of axicabtagene ciloleucel 

Drafford	Ibrutinib varaus plassba in patients with asymptomatic treatment païve early stage abrania	Section 1	P. Longorhoine
		SESSIOII 4	P. Langerbeins
presentation	lymphocytic leukemia (CLL): Final results of the CLL12 trial		
Proffered	Venetoclax-Obinutuzumab for previously untreated chronic lymphocytic leukemia: 6-year results of the	Session 4	0. Al-Sawaf
presentation	randomized CLL14 study		
Proffered	Lisocabtagene maraleucel (liso-cel) in R/R chronic lymphocytic leukemia (CLL)/small lymphocytic	Session 4	T. Siddiqi
presentation	lymphoma (SLL): primary analysis of TRANSCEND CLL 004		
Proffered	Efficacy and safety of MOLTO, a multicenter, open label, phase II clinical trial evaluating venetoclax,	Session 4	A.M. Frustaci
presentation	atezolizumab and obinutuzumab combination in Richter Syndrome		
Proffered	Glofitamab monotherapy induces durable complete remissions and has a manageable safety profile in	Session 4	C. Carlo-Stella
presentation	patients with Richter's transformation		
5 - Pediatric lyı	nphomas	-	
Invited	Primary Mediastinal B-cell Lymphoma in Children, Adolescents, and Young Adults	Session 5	L. Giulino Roth
presentation			
Invited	Minimal disseminated and minimal residual disease in childhood and adolescent Non-Hodgkin	Session 5	W. Wössmann
presentation	Lymphoma		
Proffered	Phase 2 KEYNOTE-667: Pembrolizumab in children and young adults with classical Hodgkin lymphoma	Session 5	L. Vinti
presentation	(cHL) with slow early response to front-line chemotherapy		
Proffered	Analysis treatment outcome of 46 refractory/relapsed pediatric mature B cell lymphoma patients-	Session 5	Y. Zhang
presentation	multi- center experience from China		
Proffered	Allogeneic hematopoietic stem cell transplantation with reduced-toxicity conditioning for pediatric	Session 5	F. Knörr
presentation	relapsed or refractory ALK-positive anaplastic large cell lymphoma		
	presentation Proffered presentation Proffered presentation Proffered presentation <b>5 - Pediatric lyn</b> Invited presentation Invited presentation Proffered presentation Proffered presentation	presentation lymphocytic leukemia (CLL): Final results of the CLL12 trial   Proffered Venetoclax-Obinutuzumab for previously untreated chronic lymphocytic leukemia: 6-year results of the   presentation randomized CLL14 study   Proffered Lisocabtagene maraleucel (liso-cel) in R/R chronic lymphocytic leukemia (CLL)/small lymphocytic   presentation lymphoma (SLL): primary analysis of TRANSCEND CLL 004   Proffered Efficacy and safety of MOLTO, a multicenter, open label, phase II clinical trial evaluating venetoclax, presentation   atezolizumab and obinutuzumab combination in Richter Syndrome Proffered   Proffered Glofitamab monotherapy induces durable complete remissions and has a manageable safety profile in patients with Richter's transformation   5 - Pediatric lymphomas Invited   Invited Primary Mediastinal B-cell Lymphoma in Children, Adolescents, and Young Adults   presentation Lymphoma   Proffered Phase 2 KEYNOTE-667: Pembrolizumab in children and young adults with classical Hodgkin lymphoma presentation   Proffered Phase 2 KEYNOTE-667: Pembrolizumab in children and young adults with classical Hodgkin lymphoma presentation   Proffered Analysis treatment outcome of 46 refractory/relapsed pediatric mature B cell lymphoma patients-presentation   Proffered Analysis treatment outcome of 46 refractory/relapsed pediatric matu	presentation   lymphocytic leukemia (CLL): Final results of the CLL12 trial     Proffered   Venetoclax-Obinutuzumab for previously untreated chronic lymphocytic leukemia: 6-year results of the   Session 4     presentation   randomized CLL14 study   Proffered   Lisocabtagene maraleucel (liso-cel) in R/R chronic lymphocytic leukemia (CLL)/small lymphocytic   Session 4     presentation   lymphoma (SLL): primary analysis of TRANSCEND CLL 004   Proffered   Efficacy and safety of MOLTO, a multicenter, open label, phase II clinical trial evaluating venetoclax, session 4     presentation   atezolizumab and obinutuzumab combination in Richter Syndrome   Session 4     Proffered   Glofitamab monotherapy induces durable complete remissions and has a manageable safety profile in patients with Richter's transformation   Session 5     5 - Pediatric lymphomas   Invited   Primary Mediastinal B-cell Lymphoma in Children, Adolescents, and Young Adults   Session 5     presentation   Invited   Minimal disseminated and minimal residual disease in childhood and adolescent Non-Hodgkin   Session 5     presentation   (cHL) with slow early response to front-line chemotherapy   Session 5   Session 5     presentation   (cHL) with slow early response to front-line chemotherapy   Session 5   Session 5     Proffered

34	Proffered	Patterns of presentation and outcomes in Stage IV Hodgkin lymphoma: A report from the Children's	Session 5	D. Casey
	presentation	Oncology Group (COG) AHOD1331 trial		
35	Proffered	Landscape of driver mutations and their clinical impacts in Chinese pediatric patients with mature B-	Session 5	Q. Zheng
	presentation	cell non-Hodgkin's lymphoma and T-cell lymphoblastic lymphoma		
36	Proffered	ALK-positive anaplastic large cell lymphoma with variant ALK-fusion partner: a population-based	Session 5	C. Damm-Welk
	presentation	analyses of the NHL-BFM study group		
37	Proffered	Lung staging in pediatric Hodgkin Lymphoma: Staging Evaluation & Response Criteria Harmonization	Session 5	J. Seelisch
	presentation	for Childhood, Adolescent & Young Adult HL (SEARCH for CAYAHL) consensus		
38	Proffered	Quality of Life in Pediatric High-Risk Hodgkin Lymphoma Treated with Brentuximab-Based Intensive	Session 5	A.M. Feraco
	presentation	Chemotherapy—Comparison to Historical Treatment Cohort and Healthy Peers		
39	Proffered	Quantitative whole-body MRI for predicting treatment outcome in pediatric patients with aggressive	Session 5	Y.X. Li
	presentation	non-Hodgkin lymphoma undergoing chimeric antigen receptor T cell therapy		
Session	6 - Peripheral 1	-cell lymphomas	-	
40	Proffered	The genetic subtypes and the tumor microenvironment signatures are associated with distinct	Session 6	Y. Suehara
	presentation	outcomes in peripheral T-cell lymphoma		
41	Proffered	Romidepsin plus CHOP versus CHOP in Patients with Previously Untreated Peripheral T-Cell Lymphoma:	Session 6	V. Camus
	presentation	final analysis of the Ro-CHOP trial		
42	Proffered	Targeted agents combined with CHOP compared with CHOP as the first-line therapy for peripheral T-	Session 6	W. Zhao
	presentation	cell lymphoma: preliminary results from a phase 2 GUIDANCE-03 Trial		
43	Proffered	Golidocitinib in Treating Refractory or Relapsed Peripheral T- Cell Lymphoma: Primary Analysis of the	Session 6	W. Kim
	presentation	Multinational Pivotal Study Results (JACKPOT8)		
	-	· · · · · · · · · · · · · · · · · · ·	-	

Proffered	First in human study of AUTO4, a TRBC1-tragetting CART T cell therapy in Relpased/Refractory TRBC1-	Session 6	K. Cwynarski
presentation	Positive Peripheral T-cell Lymphoma		
7 - New CAR-T a	pproaches		
Proffered	Phase 2 Study of Anbal-cel, Novel Anti-CD19 CAR-T therapy with Dual Silencing of PD-1 and TIGIT in	Session 7	W. Kim
presentation	Relapsed or Refractory Large B Cell Lymphoma - Interim Analysis Result		
Proffered	Point-of-care anti-BCMA CAR T-cell therapy induces encouraging response rates in high-risk	Session 7	H. Magen
presentation	relapsed/refractory multiple myeloma		
Proffered	Off-the-shelf CD30.CAR-modified Epstein-Barr Virus-specific T cells (CD30.CAR EBVSTs) provide a safe	Session 7	C. A. Ramos
presentation	and effective therapy for patients with Hodgkin lymphoma (HL)		
Proffered	Durables responses with anti-CD19 allogeneic CAR T ALLO-501/501A in phase 1 trials of	Session 7	F. L. Locke
presentation	relapsed/refractory large B-cell lymphoma (r/r LBCL)		
Proffered	High efficacy and favorable safety of 3rd generation CD20 CAR-T (MB-106) for outpatient treatment	Session 7	M. Shadman
presentation	of follicular lymphoma (FL) – results of a single-institution trial		
8 - Epigenetic n	nechanisms and targeted therapies in B- and T-cell lymphomas		
Invited	Epigenetic basis and Therapy of DLBCL	Session 8	A. Melnick
presentation			
Invited	Epigenetic regulation of immune microenvironment interactions in lymphoma.	Session 8	F. Lemmonier
presentation			
Invited	Epigenetic basis and therapy of follicular helper T-cell lymphomas	Session 8	M.R. Green
presentation			
	presentation7 - New CAR-T aProfferedpresentationProfferedpresentationProfferedpresentationProfferedpresentationProfferedpresentationProfferedpresentationProfferedpresentationInvitedpresentationInvitedpresentation	presentation Positive Peripheral T-cell Lymphoma   7 - New CAR-T approaches   Proffered Phase 2 Study of Anbal-cel, Novel Anti-CD19 CAR-T therapy with Dual Silencing of PD-1 and TIGIT in   presentation Relapsed or Refractory Large B Cell Lymphoma - Interim Analysis Result   Proffered Point-of-care anti-BCMA CAR T-cell therapy induces encouraging response rates in high-risk   presentation relapsed/refractory multiple myeloma   Proffered Off-the-shelf CD30.CAR-modified Epstein-Barr Virus-specific T cells (CD30.CAR EBVSTs) provide a safe   presentation and effective therapy for patients with Hodgkin lymphoma (HL)   Proffered Durables responses with anti-CD19 allogeneic CAR T ALLO-501/501A in phase 1 trials of   presentation relapsed/refractory large B-cell lymphoma (r/r LBCL)   Proffered High efficacy and favorable safety of 3rd generation CD20 CAR-T (MB-106) for outpatient treatment   presentation of follicular lymphoma (FL) – results of a single-institution trial   8 - Epigenetic mechanisms and targeted therapies in B- and T-cell lymphoma.   presentation Epigenetic basis and Therapy of DLBCL   presentation Invited   Invited Epigenetic casis and therapy of follicular helper T-cell lymphomas   Invited Epigenetic basis and therapy of follicular helper T-cell lym	presentation Positive Peripheral T-cell Lymphoma   7 - New CAR-T approaches   Proffered Phase 2 Study of Anbal-cel, Novel Anti-CD19 CAR-T therapy with Dual Silencing of PD-1 and TIGIT in presentation Session 7   Proffered Point-of-care anti-BCMA CAR T-cell therapy induces encouraging response rates in high-risk Session 7   Presentation relapsed/refractory multiple myeloma Interim Analysis Result Session 7   Proffered Point-of-care anti-BCMA CAR T-cell therapy induces encouraging response rates in high-risk Session 7   presentation relapsed/refractory multiple myeloma Proffered Off-the-shelf CD30.CAR-modified Epstein-Barr Virus-specific T cells (CD30.CAR EBVSTs) provide a safe Session 7   presentation and effective therapy for patients with Hodgkin lymphoma (HL) Proffered Durables responses with anti-CD19 allogeneic CAR T ALLO-501/501A in phase 1 trials of Session 7   presentation relapsed/refractory large B-cell lymphoma (r/r LBCL) Proffered High efficacy and favorable safety of 3rd generation CD20 CAR-T (MB-106) for outpatient treatment Session 7   presentation of follicular lymphoma (FL) - results of a single-institution trial Session 8 Session 8   Proffered High efficacy and Therapy of DLBCL Session 8 Session 8 Session 8

1				
53	Proffered	Super-enhancer hypermutation in DLBCL: role of alterations in the glucocorticoid receptor pathway	Session 8	E. Bal
	presentation			
Session	n 9 - Lymphoma	imaging		
54	Proffered	Baseline PET Radiomics Outperforms Clinical Risk Scores in Predicting Primary Mediastinal B-Cell	Session 9	L. Ceriani
	presentation	Lymphoma Outcome: Insights from the IELSG37 Study		
55	Proffered	Risk stratification of DLBCL with MVED2 score using integrative host adipose density and metabolic	Session 9	C. Thieblemont
	presentation	tumor characteristics compared to other indexes		
56	Proffered	Baseline SUV and early response, but not MTV, are associated with outcome in relapsed/refractory	Session 9	S.F Barrington
	presentation	Hodgkin lymphoma patients treated with nivolumab in the CHECKMATE 205 trial		
57	Proffered	Dynamics of radiomic features following bridging therapy determine CD19 chimeric antigen receptor	Session 9	B. S. Imber
	presentation	(CAR) T-cell therapy outcome		
58	Proffered	Radiomics reflecting both tumor and host features improves outcome prediction in follicular	Session 9	L. Rebaud
	presentation	lymphoma		
Session	n 10 - Hodgkin Ly	ymphoma		
59	Proffered	Genetically Distinct Pathogenesis of Epstein-Barr Virus (EBV)-positive Versus EBV-negative Classical	Session 10	E. Tiacci
	presentation	Hodgkin (cHL) Lymphoma		
60	Proffered	Distinct Hodgkin lymphoma subtypes identified by noninvasive genomic profiling	Session 10	S. K. Alig
	presentation			
61	Proffered	Dual targeting of Hodgkin's Lymphoma by anti-CD30 CAR-T cells co-transduced with an anti-PDL1	Session 10	B. Falini
	presentation	costimulatory receptor to overcome the immunosuppressive microenvironment		
	-	-	-	

Proffered	The prognostic impact of clinical factors and immunoarchitectural patterns for nodular lymphocyte-	Session 10	M.S Binkley
presentation	predominant Hodgkin lymphoma: an international study by GLOW		
n 11 - Marginal zo	ne lymphoma		
Proffered	Marginal Zone Lymphoma International Prognostic Index (MZL-IPI): a prognostic score for the entire	Session 11	S. Luminari
presentation	spectrum of marginal zone lymphomas. A FIL and SPORE-MER study		
Proffered	Staging FDG-avidity in extranodal marginal zone lymphoma (EMZL) by disease location	Session 11	J. P. Alderuccio
presentation			
Proffered	Rituximab and Ibrutinib Combination Is Safe and Effective in Untreated Splenic and Nodal Marginal	Session 11	C. Thieblemont
presentation	Zone Lymphomas: Planned Subset Analysis of the IELSG47/MALIBU Phase II Study		
Proffered	The IELSG39 Trial: Efficacy of First-Line Chlamydia psittaci Eradication with a Six-Month Regimen of	Session 11	A. J. M. Ferreri
presentation	Doxycycline in Patients with Stage-I MALT Lymphoma of the Ocular Adnexae		
Proffered	Immunotherapy alone versus chemoimmunotherapy as first-line treatment of marginal zone lymphoma	Session 11	A. J Olszewski
presentation	(MZL): a real-world analysis		
ı 12 - Lymphoma	biology		
Proffered	BTG2 super-enhancer mutations disrupt TFAP4 binding and dysregulate BTG2 expression in Diffuse	Session 12	E. Bal
presentation	Large B-cell Lymphoma		
Proffered	Clonal architecture of relapsed or refractory follicular helper T-cell lymphoma: an ancillary study of the	Session 12	F. Lemonnier
presentation	ORACLE trial, a LYSA study		
Proffered	Molecular characterization contributes to diagnosis and predicts outcome in primary mediastinal large	Session 12	V. Camus
presentation	B-cell lymphomas: a LYSA study		
	presentation11 - Marginal zoProfferedpresentationProfferedpresentationProfferedpresentationProfferedpresentationProfferedpresentationProfferedpresentationProfferedpresentationProfferedpresentationProfferedpresentationProfferedpresentationProfferedpresentationProfferedpresentationProfferedpresentationProfferedpresentationProfferedpresentationProfferedpresentation	presentation predominant Hodgkin lymphoma: an international study by GLOW   11 - Marginal zone lymphoma   Proffered Marginal Zone Lymphoma International Prognostic Index (MZL-IPI): a prognostic score for the entire presentation   presentation spectrum of marginal zone lymphomas. A FIL and SPORE-MER study   Proffered Staging FDG-avidity in extranodal marginal zone lymphoma (EMZL) by disease location   presentation resentation   Proffered Rituximab and Ibrutinib Combination Is Safe and Effective in Untreated Splenic and Nodal Marginal   presentation Zone Lymphomas: Planned Subset Analysis of the IELSG47/MALIBU Phase II Study   Proffered The IELSG39 Trial: Efficacy of First-Line Chlamydia psittaci Eradication with a Six-Month Regimen of   presentation Doxycycline in Patients with Stage-I MALT Lymphoma of the Ocular Adnexae   Proffered Immunotherapy alone versus chemoimmunotherapy as first-line treatment of marginal zone lymphoma presentation (MZL): a real-world analysis   12 - Lymphoma biology Proffered   Proffered BTG2 super-enhancer mutations disrupt TFAP4 binding and dysregulate BTG2 expression in Diffuse presentation   presentation Large B-cell Lymphoma   Proffered Clonal architecture of relapsed or refractory follicular helper T-cell lymphoma: an ancillary study of the presentation   ORACLE trial, a LY	presentation   predominant Hodgkin lymphoma: an international study by GLOW     11 - Marginal zone lymphoma   Image: Section and Sectin and Sectin and Section and Section and Section and Section an

71	Proffered	Gene expression profiling of t(14;18)-negative CD23+ follicle center lymphoma demonstrates activation	Session 12	T. Schade
	presentation	of the IL4/JAK/STAT6 pathway and a role in its pathogenesis		
72	Proffered	Immunoglobulin class dictates transformation trajectory and BCR status of MYC/BCL2 double-hit	Session 12	S. Casola
	presentation	lymphoma: biology and clinical implications		
UCLI - I(	CML Joint Sessio	)n		
73	Invited	Introduction of Lymphoma Database of National Health Commission of the People's Republic of China	UCLI-ICML	W. Liu
	presentation		Joint session	
74	Invited	1998-2023 Twenty-five years of commitment to improving our understanding of lymphoma	UCLI-ICML	E. Zucca
	presentation		Joint session	
75	Invited	Smart Start with Tislelizumab as the Front- line Treatment in Patients with High-risk Stage IIB and	UCLI-ICML	Z. Li
	presentation	Advanced- stage Classical Hodgkin Lymphoma	Joint session	
76	Invited	Role of checkpoint inhibition in Germany	UCLI-ICML	P. Borchmann
	presentation		Joint session	
77	Invited	New Drug Development in Lymphoma of China Is Going Global	UCLI-ICML	K. Zhou
	presentation		Joint session	
78	Invited	New trends in lymphoma treatment in Western Countries	UCLI-ICML	P.L. Zinzani
	presentation		Joint session	
Session	13 - Follicular I	ymphoma		
79	Proffered	A "Functional Cure" May be Achievable in a Subset of Patients with Follicular Lymphoma treated with	Session 13	M. Shadman
	presentation	chemoimmunotherapy: 15-Year Follow-Up of Phase III SWOG-SO016		
	-			

			7	
80	Proffered	SAKK 35/14 randomized trial of rituximab with or without ibrutinib for untreated patients with	Session 13	E. Zucca
	presentation	advanced follicular lymphoma in need of therapy		
81	Proffered	Zanubrutinib plus obinutuzumab versus obinutuzumab in patients with relapsed/refractory follicular	Session 13	P. L. Zinzani
	presentation	lymphoma: Updated analysis of the ROSEWOOD study		
82	Proffered	Odronextamab in patients with relapsed/refractory follicular lymphoma (FL) grade 1–3a: Results from	Session 13	S. Novelli
	presentation	a prespecified analysis of the pivotal Phase II study ELM-2		
83	Proffered	Mosunetuzumab demonstrates durable responses in patients with relapsed/refractory follicular	Session 13	L. H. Sehn
	presentation	lymphoma and $\ge 2$ prior therapies: updated analysis of a pivotal Phase II study		
84	Proffered	Epcoritamab with rituximab + lenalidomide (R2) provides durable responses in high-risk follicular	Session 13	D. Belada
	presentation	lymphoma, regardless of POD24 status		
ESMO -	ICML Special Le	cture	•	
85	Invited	DOES IT MATTER HOW WE NAME LYMPHOMAS?	ESMO-ICML	J.O. Armitage
	presentation		Special	
			Lecture	
Session	14 - Novel agen	ts	• •	
86	Proffered	High Complete Response Rate With TNB-486, a Novel CD19xCD3 T-Cell Engager, in	Session 14	R. Nair
	presentation	Relapsed/Refractory Follicular Lymphoma: Interim Results From an Ongoing Phase 1 Study		
87	Proffered	Phase 1b/2a study of AZD4573 (CDK9i) and acalabrutinib in patients (pts) with relapsed/refractory	Session 14	A. Danilov
	presentation	diffuse large B-cell lymphoma (r/r DLBCL)		
88	Proffered	Phase 1 Study Of JNJ-67856633, A First-In-Human MALT1 Inhibitor, In Relapsed/Refractory (R/R) B-Cell	Session 14	M. Hertzberg
	presentation	Non-Hodgkin Lymphoma (B-NHL) And Chronic Lymphocytic Leukemia (CLL)		
			-	-

Focus o	on Mantle Cell	Lymphoma		
	presentation	Patients: Final Analysis of ALYCANTE, a Phase 2 LYSA Study		
97	Proffered	Axicabtagene Ciloleucel as Second-Line Therapy for Large B-Cell Lymphoma in Transplant-Ineligible	Session 15	R. Houot
	presentation	analysis results of DALY-II-USA Study		
96	Proffered	Bispecific anti-CD20/19 CAR-T - Zamtocabatagene Autoleucel for relapsed/refractory DLBCL - Interim	Session 15	M. Ulrickson
	presentation	extended follow-up and landmark analyses from a pivotal Phase II study		
95	Proffered	Glofitamab monotherapy in patients with relapsed/refractory (R/R) large B-cell lymphoma (LBCL):	Session 15	M. Dickinson
	presentation	cell lymphoma: longer follow-up from the pivotal EPCORE NHL-1 trial		
94	Proffered	Subcutaneous epcoritamab induces deep, durable complete remissions in relapsed/refractory large B-	Session 15	C. Thieblemont
	presentation	from a prespecified analysis of the pivotal Phase II study ELM-2		
93	Proffered	Odronextamab in patients with relapsed/refractory diffuse large B-cell lymphoma (DLBCL): Results	Session 15	M. Poon
	presentation	profile in patients with relapsed/refractory diffuse large B-cell lymphoma		
92	Proffered	Glofitamab plus polatuzumab vedotin demonstrates durable responses and a manageable safety	Session 15	M. Hutchings
Sessior	n 15 - Immunoth	erapy for aggressive lymphomas		
	presentation	suffering from relapsed or refractory B-cell Non-Hodgkin Lymphoma		
91	Proffered	Combining CD19-4-1BBL (R07227166) with glofitamab is safe and shows early efficacy in patients	Session 14	M. Dickinson
	presentation	in patients with relapsed/refractory (R/R) non-Hodgkin lymphoma (NHL)		
90	Proffered	Open-label phase 1/2 study of CC-99282, a cereblon E3 ligase modulator (CELMoD) agent $\pm$ rituximab,	Session 14	J. M. Michot
	presentation	lymphoma (PTCL): updated outcomes from the first-in-human phase 1 study		
89	Proffered	Enhancer of zeste homolog 2 (EZH2) inhibitor SHR2554 in relapsed or refractory (r/r) peripheral T-cell	Session 14	Y. Song

			1	T
98	Proffered	Five-year update of the first-line IMCL-2015 GELTAMO study. Prolonged molecular and clinical	Focus on	E. Giné
	presentation	responses were observed after MRD-driven ibrutinib discontinuation	session 1	
99	Proffered	Acalabrutinib with rituximab as first-line therapy for older patients with mantle cell lymphoma – a	Focus on	P. Jain
	presentation	phase II clinical trial	session 1	
100	Proffered	Very Long-term follow-up of rituximab maintenance in young patients with mantle cell lymphoma	Focus on	C. Sarkozy
	presentation	included in the LYMA trial, a LYSA study.	session 1	
101	Proffered	Ibrutinib-rituximab and venetoclax (IRV) followed by risk-stratified R-HyperCVAD/MTX in young	Focus on	M. Wang
	presentation	patients with untreated mantle cell lymphoma – phase-II WINDOW-2 trial	session 1	
102	Proffered	Pirtobrutinib in covalent BTK-inhibitor pre-treated mantle cell lymphoma: updated results, subgroup	Focus on	C.Y. Cheah
	presentation	analysis from BRUIN with >3 years follow-up from start of enrollment	session 1	
103	Proffered	Outcomes of autologous transplant, allogeneic transplant, and CAR T cell therapy in TP53 altered	Focus on	M. Messmer
	presentation	mantle cell lymphoma: a multi-institution retrospective analysis	session 1	
Focus o	n Hodgkin Lyn	nphoma		-
104	Proffered	Correlation between progression-free and overall survival in patients with classical Hodgkin	Focus on	P. J. Bröckelmann
	presentation	lymphoma: a comprehensive analysis of individual patient data from GHSG trials	session 2	
105	Proffered	Early FDG-PET adapted treatment of limited stage Hodgkin lymphoma (HL): 10y long term follow-up	Focus on	M. Federico
	presentation	analysis of the randomized Intergroup EORTC/LYSA/FIL H10 trial	session 2	
106	Proffered	Pembrolizumab as first therapy for hodgkin lymphoma is deliverable in older or ABVD-ineligible	Focus on	M.J Dickinson
	presentation	patients, allows subsequent therapy, and gives adequate survival.	session 2	
107	Proffered	Phase 2 trial of Nivolumab plus Adriamycin, Vinblastine, Dacarbazine (N-AVD) as Frontline Therapy in	Focus on	P. Torka
	presentation	Older Adults with Hodgkin Lymphoma	session 2	

100			le l	
108	Proffered	Avelumab monotherapy followed by a PET adapted chemotherapy approach in the first line treatment	Focus on	G. P. Collins
	presentation	of classical Hodgkin Lymphoma: Initial results from the AVENuE window study	session 2	
109	Proffered	Favezelimab plus pembrolizumab in anti–PD-1–refractory classical Hodgkin lymphoma (cHL):	Focus on	P. Armand
	presentation	Estimating the relative efficacy of favezelimab	session 2	
Focus o	n Ongoing Tria	als		
OT01	Proffered	SAKK 38/19: Assessing a ctDNA and PET-oriented therapy in patients with DLBCL. A multicenter, open-	Focus on	A. Stathis
	presentation	label, phase II trial.	session 3	
OT02	Proffered	REMoDL-A: A Randomised Phase II Evaluation of Molecular Guided Therapy for Diffuse Large B-cell	Focus on	V.S
	presentation	Lymphoma (DLBCL) with Acalabrutinib – Ongoing trial	session 3	Radhakrishnan
OT03	Proffered	Brentuximab Vedotin-Nivolumab alone and then with Rituximab-Cyclophosphamide-Doxorubicin-	Focus on	R.E Steiner
	presentation	Prednisone as Frontline Therapy of Primary Mediastinal Large B-cell Lymphoma	session 3	
OT04	Proffered	MAHOGANY: A phase 3 trial of zanubrutinib plus anti-CD20 versus lenalidomide plus rituximab in	Focus on	L. Sehn
	presentation	patients with relapsed/refractory follicular or marginal zone lymphoma	session 3	
OT05	Proffered	SUNMO: Phase III trial of mosunetuzumab plus polatuzumab vedotin vs rituximab plus gemcitabine	Focus on	A. Pavlovsky
	presentation	and oxaliplatin in relapsed/refractory aggressive non-Hodgkin lymphoma	session 3	
OT06	Proffered	ZUMA-23: A Global, Phase 3, Randomized Controlled Study of Axicabtagene Ciloleucel vs Standard of	Focus on	J. Westin
	presentation	Care as First-Line Therapy in Patients With High-Risk Large B-Cell Lymphoma	session 3	
Focus o	n Liquid Biops	y and Minimal Residual Disease		
110	Proffered	Molecular clustering on ctDNA improves the prognostic stratification of DLBCL patients compared to	Focus on	R. Moia
	presentation	ctDNA levels	session 4	

111	Proffered	Circulating tumor DNA (ctDNA) status and clinical outcomes in patients (pts) with previously untreated	Focus on	A. F. Herrera
	presentation	diffuse large B-cell lymphoma (DLBCL) in the POLARIX study	session 4	
112	Proffered	MRD-Negativity After Frontline DLBCL Therapy: Pooled Analysis of 6 Clinical Trials	Focus on	M. Roschewski
	presentation		session 4	
113	Proffered	Early ctDNA clearance after CAR T-cell infusion predicts outcome in patients with Large B-cell	Focus on	M. DELFAU-LARUE
	presentation	lymphoma : results from ALYCANTE, a phase 2 LYSA study	session 4	
114	Proffered	Cell-free DNA kinetics decipher potential mechanisms of action of Ibrutinib combination therapy in	Focus on	M. Khouja
	presentation	mantle cell lymphoma (MCL)	session 4	
115	Proffered	Combined use of minimal residual disease monitoring and FDG-PET for outcome prediction in follicular	Focus on	S. Ferrero
	presentation	lymphoma: results from the Fondazione Italiana Linfomi (FIL) FOLL12 trial	session 4	
Focus of	on Mechanisms	of treatment resistance	-	
116	Proffered	Genomic evolution and resistance to pirtobrutinib in covalent BTK-inhibitor pre-treated chronic	Focus on	K. Patel
	presentation	lymphocytic leukemia patients: results from the phase I/II BRUIN study	session 5	
117	Proffered	Single-cell RNA-Seq of classic hairy cell leukemia reveals disease drivers linked to intrinsic treatment	Focus on	J. Bohn
	presentation	resistance and identifies DUSP1 as potential new therapeutic target	session 5	
118	Proffered	IL16 production is a mechanism of resistance to BTK inhibitors and to R-CHOP	Focus on	A. Arribas
	presentation		session 5	
119	Proffered	Enhancer RNAs (eRNAs) play a role in the response to small molecules and in the development of	Focus on	S. Napoli
	presentation	acquired resistance in marginal zone lymphoma (MZL).	session 5	
120	Proffered	Harnessing BTKi therapy by CDK4/6i control of T cell surveillance	Focus on	S. Chen-Kiang
	presentation		session 5	

121	Proffered	Immune-depleted tumor microenvironment is associated with poor outcomes and BTK inhibitor	Focus on	P. Jain
	presentation	resistance in mantle cell lymphoma	session 5	
Focus	on T-Cell lympl	homas		
122	Proffered	Lack of SMARCB1 expression characterizes a subset of peripheral T-cell lymphomas enriched in	Focus on	A. Fischer
	presentation	children and young adults	session 6	
123	Proffered	Chromatin Accessibility Profiling to Increase Diagnostic Accuracy and Refine Cell-of-Origin	Focus on	E. Julia
	presentation	Classification of Mature T-Cell Lymphomas	session 6	
124	Proffered	BRCA1/2 mutations impact on the development of breast implant-associated lymphoma (BIA-ALCL) in	Focus on	P. Ghione
	presentation	women with breast cancer reconstructed with textured breast implants.	session 6	
125	Proffered	A phase 2 trial of CHOP with anti-CCR4 antibody mogamulizumab for elderly patients with CCR4-	Focus on	A. Utsunomiya
	presentation	positive adult T-cell leukemia/lymphoma.	session 6	
126	Proffered	AFM13 in patients with CD30-positive relapsed or refractory (R/R) peripheral T cell lymphoma (PTCL):	Focus on	W.S. Kim
	presentation	Results from the Phase 2 REDIRECT study	session 6	
127	Proffered	Lacutamab in patients with advanced mycosis fungoides (MF): efficacy results according to updated	Focus on	P. PORCU
	presentation	lymph node (LN) classification in the TELLOMAK study	session 6	
Focus	on CAR-T cell			·
128	Proffered	Proteomic profiling identifies granzyme B inhibitor Serpin B9 as mediator of resistance to CAR T-cell	Focus on	B. J. Brinkmann
	presentation	and bispecific antibody treatment in nodal B-cell lymphoma	session 7	
129	Proffered	CART-SIE real life study: primary mediastinal B-cell lymphoma (PMBCL) have a superior outcome	Focus on	A. Chiappella
	presentation	compared to large B-cell lymphoma (LBCL) treated with axicabtagene ciloleucel	session 7	

130	Proffered	Impact of response to systemic bridging therapy on clinical outcomes and cytokine profile in patients	Focus on	B. Wills
	presentation	receiving CAR T-cell therapy for aggressive B-cell lymphoma.	session 7	
131	Proffered	Bendamustine lymphodepletion triggers reduced inflammatory cytokines and decreased toxicities after	Focus on	G. Ghilardi
	presentation	both 4-1BB- and CD28-costimulated CART19 for non-Hodgkin lymphoma	session 7	
132	Proffered	Prognostic scoring systems for severe CRS and ICANS after autologous anti-CD19 CAR T cells in large	Focus on	P. Sesques
	presentation	B-cell lymphoma: a DESCAR-T registry study form the LYSA	session 7	
133	Proffered	Severe hematological toxicity following CD19 CAR-T for relapsed/refractory LBCL is associated with	Focus on	K. Rejeski
	presentation	suppressive immune dysregulation and limited CAR-T expansion	session 7	
Focus or	1 Large B-cell	and Double Hit lymphomas		•
134	Proffered	MYC/BCL6 double hit lymphoma negative for t(3;8) BCL6::MYC fusion is associated with inferior	Focus on	B.D. Maybury
	presentation	survival, in contrast with t(3;8) positive pseudo-double hit lymphoma	session 8	
135	Proffered	High complete metabolic response rates with epcoritamab + R-CHOP in previously untreated (1L) high-	Focus on	L. Falchi
	presentation	risk DLBCL, including double-hit/triple-hit: EPCORE NHL-2 update	session 8	
136	Proffered	waveLINE-004: open-label, phase 2 study of zilovertamab vedotin (MK-2140) in patients with relapsed	Focus on	A. Fosså
	presentation	or refractory (R/R) diffuse large B-cell lymphoma (DLBCL)	session 8	
137	Proffered	Long-term responses with loncastuximab tesirine: updated results from LOTIS-2, the pivotal phase 2	Focus on	P.F Caimi
	presentation	study in patients with relapsed/refractory diffuse large b-cell lymphoma	session 8	
138	Proffered	Lisocabtagene maraleucel (liso-cel) vs standard of care (SOC) as second-line therapy in large B-cell	Focus on	L.J Nastoupil
	presentation	lymphoma (TRANSFORM study): Subgroup analyses by prior therapy response	session 8	
139	Proffered	Comparative accuracy of alternative early measures of residual disease after CAR19 therapy of	Focus on	B.J Sworder
	presentation	relapsed/refractory LBCL	session 8	

Focus o	n Radiotherap	у		
140	Proffered	Rituximab-Containing Combined Modality Therapy in Limited Stage Follicular Lymphoma: Mature	Focus on	M. MacManus
	presentation	follow up and derivation of a novel prognostic score from the TROG99.03 Trial	session 9	
141	Proffered	Radiotherapy bridging in large B-cell lymphoma patients receiving CD19 CAR-T – The UK experience	Focus on	A. Kuhnl
	presentation		session 9	
142	Proffered	High rate of metabolic complete response after low dose radiotherapy and Obinutuzumab in early	Focus on	K. Herfarth
	presentation	stage follicular lymphoma: Initial results of the GAZAI study (GLA 2018-3)	session 9	
143	Proffered	Very low dose Radiation therapy for Indolent lymphoma: Comparing "Big Boom" (4Gy x 1) versus	Focus on	C. Hajj
	presentation	"Boom Boom" (2Gy x 2)	session 9	
144	Proffered	Salvage Radiotherapy in Relapsed/Refractory Large B-Cell Lymphoma After CAR T-Cell Therapy Failure	Focus on	C. Patel
	presentation		session 9	
145	Proffered	Bone marrow volume irradiated and risk of cytopenias in aggressive B-cell lymphoma patients bridged	Focus on	B. S. Dabaja
	presentation	with radiation therapy for CART cell therapy	session 9	
Focus o	n Lymphoma r	nicroenvironment	-	-
146	Proffered	Immune contexture analysis in POLARIX suggests response to Pola-R-CHP treatment reduces tumor	Focus on	F. Morschhauser
	presentation	microenvironment dependency	session 10	
147	Proffered	Spatially-resolved transcriptomics define clinically relevant subsets of macrophages in diffuse large B-	Focus on	A. D Jeyasekharan
	presentation	cell lymphoma	session 10	
148	Proffered	Coordinated changes in the tumor microenvironment (TME) are associated with increased risk of	Focus on	J.C. Villasboas
	presentation	therapeutic failure in newly diagnosed diffuse large B-cell lymphoma (DLBCL)	session 10	

149	Proffered	EZH2 inhibition enhances CAR T antitumor effect by inducing lymphoma immunogenicity and	Focus on	W. Béguelin
	presentation	enhancing T cell function	session 10	
150	Proffered	Single cell analysis reveals immune dysfunction in large B cell Lymphoma (LBCL) pts with	Focus on	P. Mondello
	presentation	hypomagnesemia receiving Axi-cel: results from ZUMA-1 trial and Mayo Clinic cohort	session 10	
151	Proffered	Follicular lymphoma patient-derived organoids for bispecific T-cell engager immunotherapy	Focus on	J. G. Schroers-
	presentation		session 10	Martin
Focus o	on Long term r	esults of CLL trials		
152	Proffered	5-Year (Y) Follow-up of a Phase 2 Study of Ibrutinib Plus Fludarabine, Cyclophosphamide, Rituximab	Focus on	I.E Ahn
	presentation	(iFCR) as Initial Therapy for Younger CLL Patients (Pts)	session 11	
153	Proffered	Long-term follow-up of multicenter phase II trial of zanubrutinib, obinutuzumab, and venetoclax	Focus on	J.D Soumerai
	presentation	(BOVen) in previously untreated patients with CLL/SLL	session 11	
154	Proffered	Zanubrutinib (zanu) vs bendamustine + rituximab (BR) in patients (pts) with treatment-naïve (TN)	Focus on	M. Shadman
	presentation	CLL/SLL: Extended follow-up of the SEQUOIA study	session 11	
155	Proffered	Fixed-duration ibrutinib + venetoclax in chronic lymphocytic leukemia (CLL)/small lymphocytic	Focus on	P. Ghia
	presentation	lymphoma (SLL): 4-y follow-up from the FD cohort of the phase 2 CAPTIVATE study	session 11	
156	Proffered	MURANO: Final 7 year follow up and retreatment analysis in venetoclax-rituximab (VenR)-treated	Focus on	J. Seymour
	presentation	patients with relapsed/refractory chronic lymphocytic leukemia (R/R CLL)	session 11	